


## Author index

- Adragna, N.C., Ferrell, C.M., Zhang, J., Di Fulvio, M., Temprana, C.F., Sharma, A., Fyffe, R.E.W., Cool, D.R. & Lauf, P.K. Signal transduction mechanisms of  $K^+$ - $Cl^-$  cotransport regulation and relationship to disease, 125
- Agnati, L.F., Leo, G., Zanardi, A., Genedani, S., Rivera, A., Fuxe, K. & Guidolin, D. Volume transmission and wiring transmission from cellular to molecular networks: history and perspectives, 329
- Alexander, R.T. & Grinstein, S.  $Na^+/H^+$  exchangers and the regulation of volume, 159
- Bäckström, T. *see* Rahman, M.
- Bačova, Z., Baqi, L., Beňačka, O., Payer, J., Krizánová, O., Zeman, M., Šmreková, L., Zorad, Š. & Štrbák, V. Thyrotropin-releasing hormone in rat heart: effect of swelling, angiotensin II and renin gene, 313
- Baqi, L. *see* Bačova, Z.
- Bazzini, C. *see* Fürst, J.
- Beňačka, O. *see* Bačova, Z.
- Bevilacqua, E. *see* Franchi-Gazzola, R.
- Bondarava, M. *see* Wehner, F.
- Bortner, C.D. *see* Panayiotidis, M.I.
- Bottà, G. *see* Fürst, J.
- Britton, F. *see* Rossow, C.F.
- Brown, M.D. & Evans, R. Editor's Choice, 355
- Bussolati, O. *see* Franchi-Gazzola, R.
- Byfield, F.J., Hoffman, B.D., Romanenko, V.G., Fang, Y., Crocker, J.C. & Levitan, I. Evidence for the role of cell stiffness in modulation of volume-regulated anion channels, 285
- Charifi, N. *see* Charles, M.
- Charles, M., Charifi, N., Verney, J., Pichot, V., Feasson, L., Costes, F. & Denis, C. Effect of endurance training on muscle microvascular filtration capacity and vascular bed morphometry in the elderly, 399
- Chesney, R.W. *see* Han, X.
- Cidłowski, J.A. *see* Panayiotidis, M.I.
- Civan, M.M. *see* Do, C.W.
- Cockington, R.J. *see* Flanagan, D.E.
- Cool, D.R. *see* Adragna, N.C.
- Costes, F. *see* Charles, M.
- Crocker, J.C. *see* Byfield, F.J.
- vom Dahl, S. *see* Schliess, F.
- Dall'Asta, V. *see* Franchi-Gazzola, R.
- Delpire, E. & Gagnon, K.B. SPAK and OSR1, key kinases involved in the regulation of chloride transport, 103
- Denis, C. *see* Charles, M.
- Di Ciano-Oliveira, C., Thirone, A.C.P., Szász, K. & Kapus, A. Osmotic stress and the cytoskeleton: the R(h)ole of Rho GTPases, 257
- Di Fulvio, M. *see* Adragna, N.C.
- Do, C.W. & Civan, M.M. Swelling-activated chloride channels in aqueous humour formation: on the one side and the other, 345
- Dopinto, S. *see* Fürst, J.
- Dossena, S. *see* Fürst, J.
- Duan, D. *see* Rossow, C.F.
- Działoszynski, T. *see* Noble, E.G.
- Endl, E. *see* Wehner, F.
- Evans, R. *see* Brown, M.D.
- Fang, Y. *see* Byfield, F.J.
- Feasson, L. *see* Charles, M.
- Ferrell, C.M. *see* Adragna, N.C.
- Fischer, M. *see* Kaldenhoff, R.
- Flanagan, D.E., Holt, R.I.G., Owens, P.C., Cockington, R.J., Moore, V.M., Robinson, J.S., Godsland, I.F. & Phillips, D.I.W. Gender differences in the insulin-like growth factor axis response to a glucose load, 371
- Franchi-Gazzola, R., Dall'Asta, V., Sala, R., Visigalli, R., Bevilacqua, E., Gaccioli, F., Gazzola, G.C. & Bussolati, O. The role of the neutral amino acid transporter SNAT2 in cell volume regulation, 273
- Fürst, J., Bottà, G., Saino, S., Dopinto, S., Gandini, R., Dossena, S., Vezzoli, V., Rodighiero, S., Bazzini, C., Garavaglia, M.L., Meyer, G., Jakab, M., Ritter, M., Wappl-Kornherr, E. & Paulmichl, M. The ICl<sub>int</sub> interactome, 43
- Fuxe, K. *see* Agnati, L.F.
- Fyffe, R.E.W. *see* Adragna, N.C.
- Gaccioli, F. *see* Franchi-Gazzola, R.
- Gagnon, K.B. *see* Delpire, E.
- Gandini, R. *see* Fürst, J.
- Garavaglia, M.L. *see* Fürst, J.
- Gazzola, G.C. *see* Franchi-Gazzola, R.
- Genedani, S. *see* Agnati, L.F.
- de Geringel, W. *see* Verkerk, A.O.
- Gerstberger, R. *see* Voss, T.
- Glodny, B. & Pauli, G.F. The vasodepressor function of the kidney: prostaglandin E<sub>2</sub> is not the principal vasodepressor lipid of the renal medulla, 419
- Godsland, I.F. *see* Flanagan, D.E.
- Goldstein, L. *see* Perlman, D.F.
- Grinstein, S. *see* Alexander, R.T.
- Grundbichler, M. *see* Jakab, M.
- Guidolin, D. *see* Agnati, L.F.
- Hamet, P. *see* Orlov, S.N.
- Han, X., Patters, A.B., Jones, D.P., Zelikovic, I. & Chesney, R.W. The taurine transporter: mechanisms of regulation, 61
- Hansson, E. Could chronic pain and spread of pain sensation be induced and maintained by glial activation?, 321
- Hatton, W.J. *see* Rossow, C.F.
- Hausberg, M. *see* Oberleithner, H.
- Häussinger, D., Reinehr, R. & Schliess, F. The hepatocyte integrin system and cell volume sensing, 249
- Häussinger, D. *see* Reinehr, R.
- Häussinger, D. *see* Schliess, F.
- Heikura, T. *see* Kinnunen, K.
- Hellström, P.M. *see* Lundberg, S.
- Hermann, A. *see* Jakab, M.
- Ho, R. *see* Noble, E.G.
- Hoffman, B.D. *see* Byfield, F.J.
- Hoffmann, E.K., Lambert, I.H. & Pedersen, S.F. Editorial, 1
- Hoffmann, E.K. *see* Stutzin, A.
- Holmberg, B. *see* Lesoine, J.F.
- Holmberg, E. *see* Rahman, M.
- Holt, M. *see* Lundberg, S.
- Holt, R.I.G. *see* Flanagan, D.E.
- Horowitz, B. *see* Rossow, C.F.
- Huber, S.M. *see* Lang, F.
- Hübschle, T. *see* Voss, T.

- Hudson, N.P.H., Mayhew, I.G. & Pearson, G.T. Interstitial cells of Cajal and electrical activity of smooth muscle in porcine ileum, 391
- Hume, J.R. *see* Rossow, C.F.
- Isaksson, M. *see* Rahman, M.
- Ishido, M., Uda, M., Masuhara, M. & Kami, K. Alterations of M-cadherin, neural cell adhesion molecule and  $\beta$ -catenin expression in satellite cells during overload-induced skeletal muscle hypertrophy, 407
- Jakab, M., Schmidt, S., Grundbichler, M., Paulmichl, M., Hermann, A., Weiger, T. & Ritter, M. Hypotonicity and ethanol modulate BK channel activity and chloride currents in GH4/C1 pituitary tumour cells, 51
- Jakab, M. *see* Fürst, J.
- Jeon, U.S., Kim, J.-A., Sheen, M.R. & Kwon, H.M. How tonicity regulates genes: story of TonEBP transcriptional activator, 241
- Johansson, I.-M. *see* Rahman, M.
- Jones, D.P. *see* Han, X.
- de Jonge, H.R. *see* Lim, C.H.
- Kaldenhoff, R. & Fischer, M. Aquaporins in plants, 169
- Kami, K. *see* Ishido, M.
- Kapus, A. *see* Di Ciano-Oliveira, C.
- Kim, J.-A. *see* Jeon, U.S.
- Kinnunen, K., Korpisalo, P., Rissanen, T.T., Heikura, T., Viita, H., Uusitalo, H. & Ylä-Herttuala, S. Overexpression of VEGF-A induces neovascularization and increased vascular leakage in rabbit eye after intravitreal adenoviral gene transfer, 447
- Kleijer, W.J. *see* Lim, C.H.
- Knauf, P.A. *see* Lesoine, J.F.
- Korpisalo, P. *see* Kinnunen, K.
- Křížanová, O. *see* Bačova, Z.
- Kwon, H.M. *see* Jeon, U.S.
- Lambert, I.H., Pedersen, S.F. & Poulsen, K.A. Activation of  $PLA_2$  isoforms by cell swelling and ischaemia/hypoxia, 75
- Lambert, I.H. *see* Hoffmann, E.K.
- Lang, F., Lang, K.S., Lang, P.A., Huber, S.M. & Wieder, T. Osmotic shock-induced suicidal death of erythrocytes, 191
- Lang, K.S. *see* Lang, F.
- Lang, P.A. *see* Lang, F.
- Larsen, E.H., Moberg, N. & Sørensen, J.N. Fluid transport and ion fluxes in mammalian kidney proximal tubule: a model analysis of isotonic transport, 177
- Lauf, P.K. *see* Adragna, N.C.
- Leo, G. *see* Agnati, L.F.
- Lesoine, J.F., Holmberg, B., Maloney, P., Wang, X., Novotny, L. & Knauf, P.A. Development of an spFRET method to measure structure changes in ion exchange proteins, 141
- Levitan, I. *see* Byfield, F.J.
- Lezama, R.A. *see* Pasantes-Morales, H.
- Li, T. *see* Wehner, F.
- Lim, C.H., Schoonderwoerd, K., Kleijer, W.J., de Jonge, H.R. & Tilly, B.C. Regulation of the cell swelling-activated chloride conductance by cholesterol-rich membrane domains, 295
- Lindblad, C. *see* Rahman, M.
- Lionetto, M.G. & Schettino, T. The  $Na^+-K^+-2Cl^-$  cotransporter and the osmotic stress response in a model salt transport epithelium, 115
- Ludwig, T. *see* Oberleithner, H.
- Lundberg, S., Holst, M. & Hellström, P.M. Expression of iNOS mRNA associated with suppression of colonic contraction in rat colitis, 489
- Maeno, E., Shimizu, T. & Okada, Y. Normotonic cell shrinkage induces apoptosis under extracellular low  $Cl^-$  conditions in human lymphoid and epithelial cells, 217
- Maloney, P. *see* Lesoine, J.F.
- Masuhara, M. *see* Ishido, M.
- Mayhew, I.G. *see* Hudson, N.P.H.
- Meyer, G. *see* Fürst, J.
- Moberg, N. *see* Larsen, E.H.
- Moore, V.M. *see* Flanagan, D.E.
- Mount, P.F. & Power, D.A. Nitric oxide in the kidney: functions and regulation of synthesis, 433
- Musch, M.W. *see* Perlman, D.F.
- Noble, E.G., Ho, R. & Dzioszynski, T. Exercise is the primary factor associated with Hsp70 induction in muscle of treadmill running rats, 495
- Novotny, L. *see* Lesoine, J.F.
- Nürnberg, H.R. *see* Wehner, F.
- Oberleithner, H., Riethmüller, C., Ludwig, T., Hausberg, M. & Schillers, H. Aldosterone remodels human endothelium, 305
- Okada, Y. *see* Maeno, E.
- Orlov, S.N. & Hamet, P. The death of cardiotoxic steroid-treated cells: evidence of  $Na^+, K^+$ -independent  $H^+$ -sensitive signalling, 231
- Osawa, T. *see* Wagatsuma, A.
- Owens, P.C. *see* Flanagan, D.E.
- Panayiotidis, M.I., Bortner, C.D. & Cidlowski, J.A. On the mechanism of ionic regulation of apoptosis: would the  $Na^+/K^+$ -ATPase please stand up?, 205
- Pasantes-Morales, H., Lezama, R.A. & Ramos-Mandujano, G. Tyrosine kinases and osmolyte fluxes during hyposmotic swelling, 93
- Patters, A.B. *see* Han, X.
- Pauli, G.F. *see* Glodny, B.
- Paulmichl, M. *see* Fürst, J.
- Paulmichl, M. *see* Jakab, M.
- Payer, J. *see* Bačova, Z.
- Pearson, G.T. *see* Hudson, N.P.H.
- Pedersen, S.F. *see* Hoffmann, E.K.
- Pedersen, S.F. *see* Lambert, I.H.
- Perlman, D.F., Musch, M.W. & Goldstein, L. Cell membrane surface expression and tyrosine kinase regulate the osmolyte channel (skAE1) in skate erythrocytes, 87
- Petersen, O.H. Editorial, 353
- Phillips, D.I.W. *see* Flanagan, D.E.
- Pichot, V. *see* Charles, M.
- Poulsen, K.A. *see* Lambert, I.H.
- Power, D.A. *see* Mount, P.F.
- Rahman, M., Zhu, D., Lindblad, C., Johansson, I.-M., Holmberg, E., Isaksson, M., Taube, M., Bäckström, T. & Wang, M.-D. GABA-site antagonism and pentobarbital actions do not depend on the  $\alpha$ -subunit type in the recombinant rat GABA<sub>A</sub> receptor, 479
- Ramos-Mandujano, G. *see* Pasantes-Morales, H.
- Reinehr, R. & Häussinger, D. Hyperosmotic activation of the CD95 death receptor system, 199
- Reinehr, R. *see* Häussinger, D.
- Richter, L. *see* Schliess, F.
- Riethmüller, C. *see* Oberleithner, H.
- Rippe, B. *see* Tavi, P.
- Rissanen, T.T. *see* Kinnunen, K.
- Ritter, M. *see* Fürst, J.
- Ritter, M. *see* Jakab, M.
- Rivera, A. *see* Agnati, L.F.
- Robinson, J.S. *see* Flanagan, D.E.

## Author index

- Rodighiero, S. *see* Fürst, J.  
Romanenko, V.G. *see* Byfield, F.J.  
Rossow, C.F., Duan, D., Hatton, W.J., Britton, F., Hume, J.R. & Horowitz, B. Functional role of amino terminus in ClC-3 chloride channel regulation by phosphorylation and cell volume, 5  
Roth, J. *see* Voss, T.  
Rummel, C. *see* Voss, T.  
Saino, S. *see* Fürst, J.  
Sala, R. *see* Franchi-Gazzola, R.  
Schettino, T. *see* Lionetto, M.G.  
Schillers, H. *see* Oberleithner, H.  
Schliess, F., Richter, L., vom Dahl, S. & Häussinger, D. Cell hydration and mTOR-dependent signalling, 223  
Schliess, F. *see* Häussinger, D.  
Schmidt, S. *see* Jakab, M.  
Schoonderwoerd, K. *see* Lim, C.H.  
Schwab, A. *see* Stock, C.  
Sharma, A. *see* Adragna, N.C.  
Sheen, M.R. *see* Jeon, U.S.  
Shimizu, T. *see* Maeno, E.  
Smreková, L. *see* Bačova, Z.  
Sorensen, J.N. *see* Larsen, E.H.  
Stock, C. & Schwab, A. Role of the Na<sup>+</sup>/H<sup>+</sup> exchanger NHE1 in cell migration, 149  
Štrbák, V. *see* Bačova, Z.  
Stutzin, A. & Hoffmann, E.K. Swelling-activated ion channels: functional regulation in cell-swelling, proliferation and apoptosis, 27  
Szászi, K. *see* Di Ciano-Oliveira, C.  
Tan, H.L. *see* Verkerk, A.O.  
Taube, M. *see* Rahman, M.  
Tavi, P. & Rippe, B. Editor's Choice, 431  
Temprana, C.F. *see* Adragna, N.C.  
Thirone, A.C.P. *see* Di Ciano-Oliveira, C.  
Tilly, B.C. *see* Lim, C.H.  
Uda, M. *see* Ishido, M.  
Uusitalo, H. *see* Kinnunen, K.  
ter Veld, F. *see* Wehner, F.  
Verkerk, A.O., Wilders, R., de Geringel, W. & Tan, H.L. Cellular basis of sex disparities in human cardiac electrophysiology, 459  
Verkhatsky, A. Calcium ions and integration in neural circuits, 357  
Verney, J. *see* Charles, M.  
Vezzoli, V. *see* Fürst, J.  
Viita, H. *see* Kinnunen, K.  
Visigalli, R. *see* Franchi-Gazzola, R.  
Voss, T., Rummel, C., Gerstberger, R., Hübschle, T. & Roth, J. Fever and circulating cytokines induced by double-stranded RNA in guinea pigs: dependence on the route of administration and effects of repeated injections, 379  
Wagatsuma, A. & Osawa, T. Time course of changes in angiogenesis-related factors in denervated muscle, 503  
Wang, M.-D. *see* Rahman, M.  
Wang, X. *see* Lesoine, J.F.  
Wappl-Kornherr, E. *see* Fürst, J.  
Wehner, F., Bondarava, M., ter Veld, F., Endl, E., Nürnberger, H.R. & Li, T. Hypertonicity-induced cation channels, 21  
Weiger, T. *see* Jakab, M.  
Wieder, T. *see* Lang, F.  
Wilders, R. *see* Verkerk, A.O.  
Ylä-Herttuala, S. *see* Kinnunen, K.  
Zanardi, A. *see* Agnati, L.F.  
Zelikovic, I. *see* Han, X.  
Zeman, M. *see* Bačova, Z.  
Zhang, J. *see* Adragna, N.C.  
Zhu, D. *see* Rahman, M.  
Zorad, Š. *see* Bačova, Z.



## Subject index

- A<sub>3</sub> adenosine receptors, 345
- actin, 257
- action potentials, 459
- adaptive regulation, 273
- adenovirus, 447
- adhesion, 149
- air-jet, 495
- aldosteronism, 305
- amino acids, 273
- angiopoietin, 503
- angiotensin II, 313
- anion channels, 285
- ankyrin, 87
- apoptosis, 27, 191, 199, 205, 217, 249
- apoptotic volume decrease, 217
- AQP2, 241
- aqueous humour formation, 345
- arachidonic acid, 75
- astroglial network, 321
- $\alpha$ -subunit, 479
- atomic force microscopy, 305
  
- bacterial transporter, 141
- band 4, 87
- $\beta$ -catenin, 407
- Bcl-2, 205
- bicuculline, 479
- bile acids, 249
- BK channels, 51
- blood pressure, 159, 419
- blood/muscle interface area, 399
- blood–brain barrier, 321
- Brugada syndrome, 459
  
- calcium signalling, 357
- calcium waves, 357
- capillary regression, 503
- Ca<sup>2+</sup>-independent phospholipase A<sub>2</sub>, 75
- Ca<sup>2+</sup>-signalling, 321
- cardiac electrophysiology, 5
- cardioprotection, 495
- cardiotonic steroids, 231
- cation channel, 21
- cation channels, 27
- cell death, 231
- cell mechanics, 285
- cell volume, 159, 223, 257, 273, 321
- cell volume regulation, 5, 21, 27, 51, 205
- cell water, 305
- central nervous system, 329
- ceramide, 191
- chloride channel, 295
- chloride channels, 27, 51, 345
- cholesterol, 285, 295
- chronic pain, 321
- ciliary epithelium, 345
- CLC-3, 345
- computer simulation, 459
- cytoskeleton, 27, 103, 115, 249
  
- D1 receptor, 329
- denervation, 503
- detergent-resistant membranes, 87
- dysrhythmias, 459
  
- eel, 115
- electric shock, 495
- electrophysiology, 459
- endothelial nitric oxide synthase, 433
- epidermal growth factor, 199
- epithelial fluid transport, 177
- epithelial Na<sup>+</sup> channel, 21
- eplerenone, 305
- ethanol, 51
- exercise, 399
- extra-cellular matrix, 329
- eye, 447
  
- F-actin, 75
- fever, 379
- fluid diffusion, 399
- functional overload, 407
  
- GABA, 479
- GABA<sub>A</sub> receptor, 479
- gas chromatography-mass spectrometry (GC-MS), 419
- gas transport, 169
- gastrointestinal, 391
- gastrointestinal motility, 489
- gender, 371
- gene expression, 231
- gene transfer, 447
- GH4/C1 cells, 51
- glia, 321
- glial cells, 357
- Global Molecular Network, 329
- glucose, 371
- glutamine, 273
  
- heart, 313
- heat shock protein, 495
- hyperosmolarity, 257
- hyperosmotic stress, 103
- hypertension, 419
- hypertonic stress, 21, 115, 273
- hypertrophy, 407
  
- ICln, 43
- ileum, 391
- immunohistochemistry, 407
- inflammation, 489
- inflammatory bowel disease, 489
- insulin, 249, 371
- insulin resistance, 223
- insulin sensitivity, 371
- insulin-like growth factor, 371
- interactomics, 43
- interleukin-6, 379
- interstitial cells of Cajal, 391

- intestine, 115
- intracellular monovalent cations, 231
- intracellular potassium, 205
- intracellular sodium, 205
- intraocular pressure, 345
- intravascular volume, 159
- ion channel, 191
- ion channels, 43
- ion selectivity, 21
- ionic currents, 459
- ions, 205
- ischaemia, 75
  
- K-Cl cotransport, 125
- kidney medulla, 191
- kidney medulla extract, 419
  
- LC/PF, 399
- leaky epithelia, 177
- lipid raft, 87
- lithium, 125
- liver, 199, 223, 249
- long QT syndrome, 459
- Losartan, 313
  
- major facilitator superfamily, 141
- mammalian proximal tubule, 177
- mammalian target of rapamycin, 223
- MAP kinases, 223
- mathematical model, 177
- M-cadherin, 407
- medullipin, 419
- membrane transport, 141
- membrane transporter, 141
- methylosome, 43
- migration, 149
- mineralocorticoid, 305
- motility, 391
- myosin, 257
  
- Na/K-ATPase, 231
- NADPH oxidase, 199
- Na-K-2Cl cotransport, 103
- Na<sup>+</sup> recirculation theory, 177
- Na<sup>+</sup>/H<sup>+</sup> exchange, 149
- Na<sup>+</sup>/K<sup>+</sup>-ATPase, 205
- Na<sup>+</sup>-K<sup>+</sup>-2Cl<sup>-</sup>, 115
- native tissue, 115
- neovascularization, 447
- neural cell adhesion molecule, 407
- neuronal nitric oxide synthase, 433
- neuronal-glial interactions, 357
- NFAT5, 241
- NHE1, 149, 159
- NHE3, 159
- Niemann-Pick type C, 295
- nitric oxide, 433, 489
- nitric oxide pathway, 125
- noise, 495
- normotonic cell shrinkage, 217
- nuclear magnetic resonance spectroscopy (NMR), 419
  
- organic osmolytes, 75
- osmolytes, 273
- osmosensor, 249
  
- oxidative stress, 199
- OxIT, 141
  
- pentobarbital, 479
- pharmacology, 21
- phospholipase A<sub>2</sub>, 75
- phosphorylation, 103, 433
- photon correlation spectroscopy (PCS), 419
- plant-aquaporin, 169
- platelet activating factor, 191
- platelet-derived growth factor, 125
- porcine, 391
- potassium-chloride cotransporter 1 protein, 125
- potassium-chloride cotransporter mRNA expression, 125
- progesterone, 295
- programmed cell death, 205
- proliferation, 27
- prostaglandins, 191, 419
- protein kinases, 103
- protein phosphatases, 103
- proteolysis, 223, 249
- proteomics, 43
- pyrogenic tolerance, 379
  
- radiotelemetry, 379
- rat, 313
- reactive oxygen species, 27, 75
- receptor, 199
- receptors, 357
- red cells, 191
- regulation, 61
- regulatory volume decrease, 27, 93, 295
- regulatory volume decrease currents/channels, 51
- regulatory volume increase, 21
- renal development, 61
- renal medulla, 241
- renal protection, 61
- renin, 313
- retina, 447
- rho family GTPases, 257
- RNA-processing, 43
  
- satellite cell, 407
- signal transduction, 125
- single molecule, 141
- skate anion-exchanger, 87
- skeletal muscle, 407
- slow waves, 391
- smooth muscle, 489
- sodium-dependent neutral amino acid transporter-2, 273
- solute coupled water transport, 177
- spFRET, 141
- sphingomyelinase, 191
- spironolactone, 305
- Ste20p, 103
- stress, 495
- swelling, 93, 313
- swelling-activated chloride current, 345
- synaptic transmission, 357
- system A, 273
- systemic inflammation, 379
  
- taurine, 61, 87, 93
- taurine transporter, 61
- thyrotropin-releasing hormone, 313

## Subject index

- tide hypothesis, 329
- Toll-like receptors, 379
- transgenic, 313
- transient receptor potential, 21
- transport, 249
- transport protein, 141
- tumour necrosis factor, 379
- tyrosine phosphorylation, 87
- tyrphostins, 93
- uncoupling proteins, 329
- urea transporters, 241
- urinary concentration, 241
- vascular cells, 125
- vascular endothelial growth factor, 447, 503
- vascular leakage, 447
- volume, 149
- volume regulation, 43, 103, 285
- volume transmission, 329
- volume-sensitive  $\text{Cl}^-$  channels, 93
- VSOAC channel, 5
- water channel, 169
- wiring transmission, 329
- Yes, 199





